FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: October 5, 1993 Date Received: September 30, 1993

Project: 7238, Metro Self Monitor, PO #M 31139 Date Samples Extracted: September 30, 1993

RESULTS FROM THE ANALYSIS OF THE SLUDGE SAMPLE FOR CHROMIUM, COPPER, NICKEL AND ZINC Samples Processed Using Method 3050

Results Reported as µg/g (ppm)

Sample ID	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M 31139	4,000	3,300	3,500	410
Quality Assurance				
Blank	<1	<1	<1	<1
M 31139 (Duplicate)	3,800	3,300	3,400	370
M 31139 (Matrix Spike) % Recovery	ai	ai	ai	ai
M 31139 (Matrix Spike Duplicate) % Recovery	ai	ai	ai	ai
Spike Blank % Recovery	100%	102%	101%	100%
Spike Level	100	100	200	100

ai The amount spiked was insufficient to give meaningful recovery data.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman James E. Bruya, Ph.D. (206) 285-8282 3008-B 16th Avenue West Seattle, WA 98119 FAX: (206) 283-5044

October 5, 1993

Gerry Thompson, Project Leader Alaskan Copper Works 628 South Hanford Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on September 30, 1993 from Project 7238, Metro Self Monitor, PO #M 31139.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

Brodles T Benson
Bradley T. Benson

Chemist

BTB/dp

Enclosures

FRIEDMAN & BRUYA, INC. 3002-B 16th Avenue West Seattle, WA 98119

09.30.93

aue, WA 90119	SAMPL	SAMPLE CHAIN OF CUSTODY					
nd Report To: ALASE	COPPER	Works	Contact_	GERRIZ	Thompson		
dress Y.O. Box	5546						
y, State, Zip 500713 one # [26] 623-6	E, WD. 9812	4	Date	9/0/5	3		
one # page 3- 8	5 <i>0</i> 6		Date	30/	<u> </u>		
SITE NO.	PROJECT NAME		,	PURCH	ASE ORDER #	 1	
7238	METRO SELF	· monito	2	m 311	-79		
SAMPLERS (signature)					CT LOCATION		
2) / 5/				3200 0	HE AVE. SOLT	મ	
REMARKS					E DISPOSAL INFORM.		
			Dispose after 30 days Return Samples Call for Instructions				
SAMPLE #	Date/Time Sampled	Type of Sample	# of Jars	Lab Sample #	Analyses Requested		
M 3/139	9/30/90	WATER	1	44718	Ca, Cu, Ni, Z	4	
					2000	<u> </u>	
			-				
				<u> </u>			
	*				i i		
				 			
			-	 			
					·		
			•				
			-				
SIGNATURE	PRINT NAME		COMI	PANY	Date	Time	
Relinguished by:				*		8:58	
Received by:	Anny G	ray	Frieda	an and R	Warke 9/30/93 ruya Im 9/30/93	9:00	
Relinquished by:	3	4	1		- jata		
Received by:							

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman James E. Bruya, Ph.D. (206) 285-8282

DUPLICATE COPY

3008-B 16th Avenue West Seattle, WA 98119 FAX: (206) 283-5044

October 5, 1993

INVOICE #93ACU1005-2

Alaskan Copper Works 628 South Hanford Seattle, WA 98134

RE: Project 7238, Metro Self Monitor, PO #M 31139: Results of testing requested by Gerry Thompson, Project Leader and submitted on September 30, 1993.